

ALPHABETICAL INDEX

Names of authors are printed in SMALL CAPITALS, subjects in lower-case roman, and localities in *italics*; book reviews come last.

The minerals, localities, and authors mentioned in the 30th List of new mineral names are not included in this Index, nor are the names in the Report of the Amphibole Subcommittee.

- Abbots Cliff, Folkestone, Kent*, glauconite, 373
Actinolite, Grand Canyon, Arizona, anal., M24
Adularia, Cornwall, pseudomorphic after analcime, 245, 509, and M49; *Switzerland* and *Japan*, sector structure, opt., I.R., 453
Aegirine, Caithness, authigenic, anal., X-ray, 439; *Greenland*, anal., 31
Agardite, Cornwall, 169, 174
AHMED (S.) and MORRIS (D. F. C.), Geochemistry of lateritic Ni ores with reference to noble metals, 143 and M4
AHMED (A.) and LEAKE (B. E.), The Inishdawros meta-peridotite, Connemara, Ireland, 69
AHMED (Z.), Chromite from Sakhakot-Qila, Pakistan, 155
Aichi Prefecture, Japan, neotocite ('penwithite'), 279 and M26
AKIZUKI (M.) and SUNAGAWA (I.), Study of the sector structure in adularia by means of optical microscopy, infra-red absorption, and electron microscopy, 453; — and ZUSSMAN (J.), The unit cell of talc, 107
Alabandine, I.R. spectrum, 277 and M17
ALABASTER (C.), A new wulfenite locality near Bristol, 298
Albite, *Greenland*, anal., 31
Alderley Edge, Cheshire, osarizawaite, 175
ALDERTON (D. H. M.) and JACKSON (N. J.), Discordant calc-silicate bodies from the St. Just aureole, Cornwall, 427
Alice Mary copper mine, W. Australia, lavendulan, 369
Alkali feldspar, *Greenland*, solvus, exsolution, coherent intergrowth, ordering, 1; *Ethiopia* and *Italy*, 63; and see adularia, albite, microcline, orthoclase, valencianite
Alkaline-earth and alkalis, partition between alkali feldspar phenocrysts and lava matrix, 63
Allanite, *Andhra Pradesh, India*, anal., opt., 280 and M31
Almandine, *Grand Canyon, Arizona*, anal., M25; *Donegal*, anal., 237
Alnö Island, Sweden, titanomagnetite, 265
Amalgam, *Tipperary*, 170
Amba Dongar, Gujarat, India, magnetite, 463
Ambo Costantino, Wollo, Ethiopia, rhyolite, anorthoclase, cryptoperthite, 63
Amblygonite, *Cornwall*, sp. gr., cell-size, 151
Amphibole, see actinolite, anthophyllite, cummingtonite, gedrite, hornblende, pargasite, riebeckite
Amphibole Subcommittee of the I.M.A. report, 533
Amphibolites, *Grand Canyon, Arizona*, 199 and M23
An Gearna, Ben More, Isle of Mull, corundophilite, 171
Analcime, *Italy*, anal., determination in pumice by X-ray diffractometry, 103; *New South Wales*, sedimentary, partial anal., cell-size, opt., 241; *Cornwall*, alteration to adularia, 245, 509, and M49
Andalusite, topotactic transformation to mullite and silica, 195
Andradite, *New Zealand*, anal., M14; stannian, from a tin slag, 487
Angarf-Nord, Morocco, tapiolite, 477
Anorthoclase, *Ethiopia*, 63
Anthophyllite, *Grand Canyon, Arizona*, anal., 199 and M23
Anthophyllite-cummingtonite schist, *Grand Canyon, Arizona*, anal., petr., 199 and M23
Apatite, *Cornwall*, anal., M60
Ardennite, *Somerset*, 170
ARNÓRSSON (S.), Major element geochemistry of the geothermal sea-water at Reykjanes and Svartsengi, Iceland, 209
Arsenopyrite, I.R. spectrum, 277 and M17
Arsenuranospathite, *Baden*, partial anal., opt., X-ray, dehydration, 117
ASHLEY (P. M.), see PLIMER (I. R.), 85
Atacamite, *W. Australia*, 369
ATKIN (B. P.), Hercynite as a breakdown product of staurolite from Donegal, 237
Auburn mine, Michigan, stilpnomelane, 361 and M37
Augite, *Turkey*, anal., topotactic alteration to omphacite, 435; *Turkey*, anal., 511 and M42
Axinite, *Cornwall*, anal., M60
Bahianite, *Brazil*, anal., opt., sp. gr., X-ray, 179
Bali Low copper mine, Capricorn Range, W. Australia, lavendulan, 369
Ballyclare, Co. Antrim, cowlesite, 171
Ballycraigy, Larne, Co. Antrim, tobermorite, 229
Bambollita mine, Moctezuma, Sonora, Mexico, tlapallite, 183
Ban Ban, Queensland, ilvaite, 85
BARBOSA (C. do P.), see MOORE (P. B.), 179
Barrington, Cambridge, glauconite, 373
Baryte, *W. Australia*, H₂S-bearing inclusions in, 408
Bazirite, *Rockall, Inverness-shire*, anal., opt., X-ray, 35
BEVINS (R. E.), Pumpellyite-bearing igneous rocks from Pembrokeshire, 81
Bingham, Utah, tobermorite, 229
Binni mine, Kondapalli, Andhra Pradesh, India, chromite, bronzite, 406 and M38
Biotite, *Urals*, deformation by shock-loading, 41; *New Zealand*, anal., M14; *Grand Canyon, Arizona*, anal., M25; *Donegal*, anal., 237
BISH (D. L.) and BRINDLEY (G. W.), Deweylite, a mixture of hydrous serpentine and talc-like minerals, 75
Bismuthinitite, I.R. spectrum, 277 and M17
Black Hills, S. Dakota, xanthoxenite, 309
BLAIN (C. F.), Hydrothermal nickelian mackinawite from Wadi Qatan, Saudi Arabia, 284
BLAND (D. J.), anal. by, 468
Blende, see Sphalerite
Blow River, Yukon Territory, Canada, whiteite, 309

ALPHABETICAL INDEX

- Botallack mine, Cornwall*, digenite, 172
Boulangerite, I.R. spectrum, 277 and M17
Bournonite, I.R. spectrum, 277 and M17
BÖWLES (J. F. W.), The geochemical role of primary Cu-S mineralization in the Freetown gabbro, Sierra Leone, 111
Brattfors mine, Nordmarks Odafält, Värmland, Sweden, manganhumite, katoptrite, manganostibite, tephroite, galaxite, sonolite, magnussonite, retzian, allactite, hematolite, synadelphite, 133
Braivoite, England, paragenesis, 149
BRAY (C. J.), see *HOLLAND* (R. A. G.), 407
Brentonico, Verona, Italy, celadonite, 373
BRIDGE (P. J.), *PRYCE* (M. W.), *CLARKE* (R. M.), and *COSTELLO* (M. B.), Sampleite from Jingemia Cave, W. Australia, 369
BRIGGS (R. M.), Ferrocapholite from New Caledonia, 147 and M16
BRINDLEY (G. W.), see *BISH* (D. L.), 75
British minerals, 4th supplementary list of, 169
Broken Hill, New South Wales, ilvaite, rhodonite, hydrogrossular, zincian ilmenite, 85
Bronzite, India, 406 and M38
Brookton, W. Australia, sampleite, 369
BRUMBY (G. R.) and *SHEPHERD* (T. J.), Improved sample preparation for fluid inclusion studies, 297
Brunsvigite, New Zealand, M14
Buchite, see *Cordierite-buchite*
Buckeye Mtn., Polk Co., Arkansas, kidwellite, 137
Buffaure, Val di Fassa, Italy, celadonite, 373
Bulldog gold mine, Ravensthorpe, W. Australia, lundulan, 369
Busby Point, Kaipara Harbour, New Zealand, clinoptilolite pseudomorphs after calcitic and aragonitic fossils, 410
BUTLER (B. C. M.), Tin-rich garnet, pyroxene, and spinel from a slag, 487

 'Cacoxenite' figured by Laubmann and Steinmetz is probably strunzite, 309
Calcite, Cornwall, in paragenetic sequence, 509 and M49
Calcium metasilicate, α - (pseudowollastonite), and β - (wollastonite, parawollastonite), growth from glasses, 325
CAMPBELL (I. H.) and *KELLY* (P. R.), The geochemistry of loveringite, 187
Cannington Park quarry, Somerset, djurleite, 172; durangite, 172; milarite, 174
Carbonatite, Kenya, trace elements, 463
Carn Clodgy, Rinsey, Cornwall, amblygonite, topaz, 151
Carn Vellan, St. Just, Land's End, garnet, axinite, hornblende, 427
CARPENTER (M. A.) and *OKAY* (A.), Topotactic replacement of augite by omphacite in a blueschist rock from NW. Turkey, 435
Carrock Fell, Cumberland, tsumebite, 176
Carrollite, W. Australia, anal., opt., 93; *Congo* and *Germany*, anal., 93
Cassiterite, twinning, post-growth readjustment of, 288
Cedar Hill, Pennsylvania, deweylite, 75
Celadonite, Bohemia, Brazil, Faeroes, Iceland, Italy, Nevada, New Zealand, and ocean-bottom, anal., I.R., X-ray, distinction from glauconite, 373
Celsian, SW. Africa, cell-size, intergrowth with barian orthoclase, solid solution limits, 294
Chalcopyrite, I.R. spectrum, 277 and M17
Chalybite, see *Siderite* (of Haiderger)
Chanteloube, Limoges, France, tapiolite, 477
CHAPPELL (B. W.), see *EGGLETON* (R. A.), 361 and M37
Cheesewring quarry, Linkinhorne, Cornwall, danburite, 171
Chernovite, Leicester, 171
CHERRY (B. E.) and *TREMBATH* (L. T.), Structural state and composition of alkali feldspars in granites of the St. George pluton, south-western New Brunswick, 391
Chlorite, see *Brunsvigite*, *Diabantite*, *Pennine*, *Ripidolite*
Chrome spinel, New Zealand, anal., M15
Chromite, Rhum, anal., 347; *Andhra Pradesh, India*, magnetic, anal., 406 and M38; *Pakistan*, anal., reflectance, cell-size, 347
Chycornish Carn, St. Just, Land's End, axinite, epidote, hornblende, 427
Cinnabar, Tipperary, 171; I.R. spectrum, 277 and M17
CLARK (A. M.), *EASTON* (A. J.), *JONES* (G. C.), and *MOUNT* (M.), The neotocite group, 279 and M26; — and *FEJER* (E. E.), Tapiolite, its chemistry and cell dimensions, 477; anal. by, 181; and see *POVARENNYKH* (A. S.), 518
CLARK (M. D.), Amphibolitic rocks from the Precambrian of Grand Canyon, Arizona, 199 and M23
CLARKE (R. M.), see *BRIDGE* (P. J.), 369
Clinohumite, titanian, *Greenland*, anal., opt., cell-size, sp. gr., 99
Clinoptilolite, New Zealand, pseudomorphous after calcitic and aragonitic fossils, 410
Clinopyroxene, New Zealand, anal., M13; and see *Augite*, Diopside
Coast Range, California, stilpnomelane, 361 and M37
Cobaltite, I.R. spectrum, 277 and M17
Cobar, New South Wales, stilpnomelane, 361 and M37
COGGAR (N.), anal. by, 468
Containers for iron-bearing melts, Pt-Fe alloys for, 271
Coombe Farm quarry, Henbury, Somerset, wulfenite, 298
Coon Creek, Polk Co., Arkansas, kidwellite, 137
Copper, ferroan, Sierra Leone, anal., 111
Copt Point, Folkestone, Kent, glauconite, 373
Cordierite, Grand Canyon, Arizona, anal., 199 and M23; *Madagascar*, anal., opt., cell-size, distortion index, 481; *Central Australia*, anal., cell-size, distortion index, O-isotope ratio, excess Ar, 89; *Donegal*, anal., 237
Cordierite-anthophyllite rock, Grand Canyon, Arizona, anal., 199 and M23
Cordierite-buchite, Isle of Arran, anal., genesis, 141 and M1
Córrego do Urucum, Minas Gerais, Brazil, elbaite, 357
Corundophilite, Isle of Mull and Derbyshire, 171
COSTELLO (M. B.), see *BRIDGE* (P. J.), 369
Cowlesite, Antrim, 171
Crestmore, California, tobermorite, 229
 α -Cristobalite, *Rockall, Inverness-shire*, 35
Crowns Rock, St. Just, Land's End, garnet, 427
Cryptoperthite, Ethiopia and Italy, 63
Crystal Falls, Minnesota, stilpnomelane, 361 and M37
Crystal optics, theory of, 19
Cubanite, Saudi Arabia, 284
Cummingtonite, Grand Canyon, Arizona, anal., 199 and M23

- $\text{Cu}_3(\text{PO}_4)_2 \cdot 3\text{H}_2\text{O}$, a corrosion product, is probably samplite, 369
- Cuprite, *Namibia* and artificial, optical constants, 505
- Cuyana Range, Minnesota*, stilpnomelane, 361 and M37
- Danburite, *Cornwall*, 171
- DAS GUPTA (D. R.), see DAS GUPTA (S. P.), 493
- DAS GUPTA (S. P.), SEN GUPTA (P. R.), DUBE (A.), SEN GUPTA (N. R.), and DAS GUPTA (D. R.), the Dhajala meteorite, 493
- Dean quarry, The Lizard, Cornwall*, djurleite, 172; analcime and adularia pseudomorphous after analcime, 245, 509, and M49
- DEANS (T.) and SEAGER (A. F.), Stratiform magnetite crystals of abnormal morphology from volcanic carbonatites in Tanzania, Kenya, Greenland, and India, 463
- Deccan, India*, tholeiite, 417
- Dehrn, *Germany*, dehrnite (= francolite), 282
- Dehrnite, *Germany* and *Utah*, anal., is francolite, 282
- DE PIERI (R.), see PIERI (R. DE), 63
- Deweylite, *Pennsylvania* and *N. Carolina*, anal., X-ray, is a mixture of hydrous serpentine and a talc-like mineral, 282
- Dhajala, Surendranagar District, Gujarat, India*, meteorite, 493
- Diabantite, *New Zealand*, anal., M14
- Diahot, New Caledonia*, ferrocapholite, 147 and M16
- Diaspore, solid solution with goethite, synthetic, 159
- Digenite, *Sierra Leone*, anal., 111; *Cornwall*, 172
- DIN (V. K.), anal. by, 379, 380
- Diopside, *Turkey*, anal., 511 and M42; *Cornwall*, anal., M60; *Rhum*, anal., 347
- Djurleite, *Cornwall, Somerset*, and *Ross and Cromarty*, 172
- Dolomite, *Madagascar*, as inclusions in cordierite, anal., 481
- Donabanda Hill, Kondapalli, Andhra Pradesh, India*, allanite, 280 and M31
- Dopma Mtn., Trondheim, Norway*, titanomagnetite, 265
- Dover, Kent*, glauconite, 373
- Drill for use under the microscope, 499
- DUBE (A.), see DAS GUPTA (S. P.), 493
- DUGGAN (M.), see WILLIAMS (S. A.), 183
- DUNN (P. J.), Sanmartinitite, new data, 281; Dehrnite and lewistonite discredited, 282
- Dunseverick, Co. Antrim*, cowlesite, 171
- Durangite, *Cornwall*, 172
- EASTON (A. J.), see CLARK (A. M.), 279 and M26; anal. by, 379, 380
- EGGLETON (R. A.) and CHAPPELL (B. W.), The crystal structure of stilpnomelane. Part III: Chemistry and physical properties, 361 and M37
- Elbaite, *Brazil*, colour, absorption spectra, 357
- Elpidite, *Rockall, Inverness-shire*, 35
- EMBREY (P. G.), Fourth supplementary list of British minerals, 169
- Emeleusite, *Greenland*, anal., opt., cryst., sp. gr., X-ray, possible relation to milarite, 31
- Enargite, I.R. spectrum, 277 and M17
- ENGLAND (B. M.) and OSTWALD (J.), Ferrierite: an Australian occurrence, 385
- Enstatite, *Andhra Pradesh, India*, 406 and M38
- Epidote, *Cornwall*, anal., M60
- Erik Ers mine, *Gestrikland, Sweden*, neotocite, 279 and M26
- Euclolite, see Eudialyte
- Eudialyte, *Rockall, Inverness-shire*, 35
- Euganean Hills, Veneto, Italy*, rhyolite, trachyte, alkali feldspar, cryptoperthite, 63
- Fairfield, Utah*, dehrnite and lewistonite (both = francolite), 282
- Falls of Rogie, Ross and Cromarty*, djurleite, 172
- FARMER (V. C.), see SOONG (R.), 277 and M17
- FEJER (E. E.), see CLARK (A. M.), 477
- Feldspar, see Alkali feldspar, Plagioclase, Anorthoclase, Albite, Celsian, Orthoclase, Microcline, Cryptoperthite
- Ferrierite, *New South Wales*, anal., cryst., paragenesis, 385
- Ferristilpnomelane, see Stilpnomelane, 361
- Ferrocapholite, *New Caledonia*, anal., opt., cell-size, 147 and M16
- Ferrostilpnomelane, see Stilpnomelane, 361
- Fluid inclusions, preparation of sections for study of, 297, 407
- Fodderstack Mtn., Montgomery Co., Arkansas*, kidwellite, 137
- FORD (C. E.), Pt-Fe alloys for sample containers for melting experiments in iron-bearing systems, 271
- FORTEY (N. J.) and MICHEL (U. McL.), Aegirine of possibly authigenic origin in Middle Devonian sediments in Caithness, 439
- Frances Furness gold mine, Marvel Loch, W. Australia*, lavendulan, 369
- Francevillite, *Cornwall*, 172
- Francolite, from continental shelf off *Morocco*, anal., trace elements in, 221; dehrnite and lewistonite are both francolite, 282
- Franklin, New Jersey*, stilpnomelane, 361 and M37
- FRANZ (E.-D.), Synthetic solid solutions of goethite and diaspore, 159
- FREER (R.), see STRENS (R. G. J.), 19
- Freetown, *Sierra Leone*, gabbro, digenite, copper, 111
- Frei Martinho, *Brazil*, tapiolite, 477
- French Ridge, *New Zealand*, stilpnomelane, 361 and M37
- Fuka, *Japan*, tobermorite, 229
- Funato mine, Wakayama Prefecture, Japan*, talc, 107
- Gabbro, *New Zealand*, anal., petr., 45 and M15; *Sierra Leone*, role of Cu-S minerals in the crystallization of, 111
- GAINES (R. V.), see MOORE (P. B.), 179
- Galapo, *Tanzania*, magnetite, carbonatite, 463
- Galena, I.R. spectrum, 277 and M17
- Gambatesa mine, *Chiavari, Liguria, Italy*, neotocite, 279 and M26
- Ganginemi, *Kondapalli, Andhra Pradesh, India*, chromite, bronzite, 406 and M38
- Gardiner Plateau, *Kangerdlugssuaq, Greenland*, titanian clinohumite, 99
- Garnet, see Almandine, Andradite, Grossular, Hydrogrossular
- Garnet-cummingtonite rock, *Grand Canyon, Arizona*, 199 and M23
- Gedrite, *Grand Canyon, Arizona*, anal., M24

ALPHABETICAL INDEX

- GEORGE (M. C.), see STONE (M.), 151
 Geothermal sea-water, *Iceland*, anal., 209
Gestrikland, *Sweden*, neotocite, 279 and M26
 GHARIB (A.), and MORRIS (D. F. C.), Rhenium and tungsten in nickeliferous lateritic profiles, 513
 GIBSON (G. M.), Staurolite from central *Fiordland*, *New Zealand*, 153
Gipsy Lane, *Leicester*, chernovite (?), 171; djurleite, 172
Giralong, *Australian Commonwealth Territory*, stilpnomelane, 361 and M37
 Glauconite, *England* and ocean bottom, anal., X-ray, distinction from celadonite, 373
Glyndeboorne, *Sussex*, glauconite, 373
Godani Station, *Kaduna*, *Nigeria*, microcline, 443
 Goethite, aluminian, synthetic, 159
 Gold, in lateritic Ni ores from *Guatemala*, *Indonesia*, and *New Caledonia*, 143 and M4
Gortdrum mine, *Oola*, *Co. Tipperary*, amalgam, cinnabar, 170
Grand Canyon, *Arizona*, actinolite, amphibolites, anthophyllite, biotite, cordierite, cummingtonite, gedrite, garnet, hornblende, talc, 199 and M23
 Granite, *Skye*, parental basaltic magma of, 157
 GRAZIANI (G.) and GUIDO (G.), Hydrous gem magnesian cordierite with inclusions of hydroxyapatite, dolomite, and rutile, 481
Great Cumbrae, *Firth of Clyde*, tholeiite, 417
Greenbushes, *W. Australia*, taquiolite, 477
Greenovite, *Devon*, 173
Grossular, *Cornwall*, anal., 417 and M60
Gruppo di Voltri, *Liguria*, *Italy*, tacharanite, tobermorite, 383
Grythyttte, *Sweden*, stilpnomelane, 361 and M37
Guarapara, *Parana*, *Brazil*, celadonite, 373
 GUIDO (G.), see GRAZIANI (G.), 481
Hagendorf, *Germany*, xanthoxenite, 'salmons'ite (a mixture of jahnsite and hureaulite), 309
 HALFEN (B.), Relation between spectral reflectance and composition in the magnetite-ulvöspinel series, 265
Halkirk, *Caithness*, aegirine, 439
Hall, *Iceland*, celadonite, 373
 HALL (A. J.), Post-growth readjustment of a cassiterite twin-boundary, 288
 HALL (R.), Pyroxenes of basic igneous rocks and rodingites from an ophiolite mélange, south-eastern Turkey, 511 and M42
Hamersley Range, *W. Australia*, stilpnomelane, 361 and M37
Harry Creek copper prospect, *Strangways Range*, *Central Australia*, cordierite, 89
Hauzton Road, *Cambridge*, glauconite, 373
 HAWKES (J. R.), see YOUNG (B. R.), 35
Hedenbergite, stannian aluminian, from a tin slag, 487
Heguri, *Japan*, tobermorite, 229
Herborn, *Dillenstein*, *Germany*, 'klipsteinite' (a mixture), 279 and M26
Hercynite, zincian, *Donegal*, anal., formation, 237
Heteromorphite (?), *Cornwall*, 173
Heulandite, *New South Wales*, paragenesis, 385
 HEY (M. H.), 30th List of new mineral names, 521
High Range, *Lyndon Station*, *W. Australia*, lavendulan, 369
 HILL (P. G.), see UPTON (B. G. J.), 31
Hohmannite, *Chile*, cryst. struct., relation to amarantite, 144 and M9
 HOLGATE (N.), A composite tholeiite dyke at Imachar, Isle of Arran, 141 and M1
 HOLLAND (R. A. G.), BRAY (C. J.), and SPOONER (E. T. C.), A method for preparing doubly polished thin sections suitable for microthermometric examination of fluid inclusions, 407
Homa Mtn., *Kenya*, magnetite, 463
Hornblende, *New Zealand*, anal., M13; *Grand Canyon*, anal., M24; *Cornwall*, anal., M60; *Pakistan*, anal., 405 and M33
Hornblende-schist, *Pakistan*, origin, 405 and M33
H₂S-bearing inclusions in baryte, *W. Australia*, 408
Hühnerkobel, *Bavaria*, xanthoxenite, stewartite ('xanthoxenite'), and ?strunzite ('cacoxenite'), 309
Hureaulite, *California* and *Germany*, with jahnsite ('salmons'ite), 309
Hydrogrossular, *New Zealand*, anal., M14
Hydromuscovite, chromian barian, *Mozambique*, anal., opt., cell-size, sp. gr., 292
Hydroxyapatite, *Madagascar*, as inclusions in cordierite, anal., 481
Igdlutalik, *Julianeåb*, *Greenland*, emeleusite, riebeckite, nordite, narsarsukite, zircon, albite, aegirine, 1
Ilha de Taquaral, *Minas Gerais*, *Brazil*, whiteite, 309
Ilmenite, *New South Wales*, zincian, 85; *Sierra Leone*, cuprian, 111
Ilvaite, *New South Wales* and *Queensland*, manganoan, anal., opt., 85; *Cornwall* and *Devon*, 173
Imachar, *Isle of Arran*, tholeiite, cordierite-buchite, schistose grit, 141 and M1
Indian Mtn., *Cherokee Co.*, *Alabama*, kidwellite, 137
Inishdawros, *Callow*, *Ballyconneely*, *Connemara*, meta-peridotite, olivine, serpentine, orthopyroxene, augite, hornblende, talc, saussurite, 69
 International Mineralogical Association, report of Amphibole Subcommittee of the New Minerals Commission, 533
 Iridium in lateritic Ni ores, *Guatemala*, *Indonesia*, and *New Caledonia*, 143 and M4
Irish Creek, *Rockbridge Co.*, *Virginia*, kidwellite, 137
 Iron-bearing melts, Pt-Fe containers for, 271
 IRVING (A. J.), anal. by, 314 and 181
 ITO (J.), anal. by, 181; — see MOORE (P. B.), 309
 IXER (R. A.), Distribution of bravoite and nickelian marcasite in central Britain, 149
 JACKSON (N. J.), see ALDERTON (D. H. M.), 427
Jahnsite, *California* and *Germany*, with hureaulite ('salmons'ite), 309; — whiteite series, nomenclature, 309
Jamesonite, I.R. spectrum, 277 and M17
Jimberlana intrusion, *W. Australia*, loveringite, 187
Jingemia Cave, *Watertoo*, *W. Australia*, atacamite, sampleite, taranakite, weddellite, 369
Johannsen's phlogopite mine, *Strangways Range*, *Central Australia*, cordierite, 89
 JOHNSEN (O.), see UPTON (B. G. J.), 31, and NEILSEN (T. F. D.), 99

- JONES (G. C.), analys. by, 379, 380; and see CLARK (A. M.), 279 and M26, and POVARENYYKH (A. S.), 518
 JUST (J.) and FEATHER (C. E.), Tučekite, a new antimony analogue of hauchecornite, 278 and M21
- Kaipara Harbour, New Zealand, clinoptilolite pseudomorphous after fossils, 410
 Kambalda, Kalgoorlie, W. Australia, carrollite, polydymite, siegenite, violarite, 93
 Kanowna, W. Australia, tučekite, 278 and M21
 KELLY (P. R.), see CAMPBELL (I. H.), 187
 KEMPE (D. R. C.), Acicular hornblende schists and associated rocks from NW. Pakistan, 405 and M33
 Kihera Hill, Rusinga Island, Kenya, magnetite, carbonatite, 463
 Kidwellite, Alabama, Arkansas, Virginia, and Germany, anal., opt., sp. gr., X-ray, 137
 Kings Garn Gutter, Brook, Hampshire, glauconite, 373
 Klapperud, Dalecarlia, Sweden, opsimose (= neotocite), 279 and M26
 Klipsteinite, Germany, is a mixture, mainly birnessite, 279 and M26
 Klokken, Gardar, S. Greenland, aplite, syenite, feldspars, 1
 Koru, Kenya, magnetite, carbonatite, 463
 Kvanefjeld plateau, Ilmaussaq, Greenland, tugtupite, 251
 Kyanite, stability field of, 237
- La Blanche Lake, Quebec, titanomagnetite, 265
 Lake Izabal, Guatemala, lateritic Ni ore, 143 and M4, 513
 Lake Wanaka, New Zealand, stilpnomelane, 361 and M37
 Långban, Värmland, Sweden, welshite, 129
 La Oriental mine, Sonora, Mexico, see Bambollita mine
 LAUCKNER (H.), analys. by, 118, 125
 Laumontite, New South Wales, paragenesis, 385
 Lavendulan, W. Australia, 369
 Layering, rhythmic, origin of, 337
 Laytonville quarry, Mendocino Co., California, stilpnomelane, 361 and M37
 LEACH (T. M.) and RODGERS (K. A.), Metasomatism in the Wairere serpentinite, New Zealand, 45 and M12
 LEAKE (B. E.), see AHMED (A. A.), 69
 Leucite, Italy, anal., 103
 Leucophosphite, Rockall, Inverness-shire, 35
 Lewistonite, Utah, anal., is francolite, 282
 Linnaeite, W. Australia, anal., opt., 93
 Liquid immiscibility, textural evidence for, 417
 LISTER (J.), Luxullianite in situ within the St. Austell granite, Cornwall, 295
 LIVINGSTONE (A.), anal. by, 468
 Loch Eynort, Skye, tobermorite, 229
 Los Cerillos, San Martin, San Luis Province, Argentina, sanmartinitite, 281
 Loveringite, W. Australia, anal., geochemistry, site preferences in, 187
 Loya mine, Kondapalli, Andhra Pradesh, India, chromite, bronzite, 406 and M38
 LUCCHETTI (G.) and PENCO (A. M.), Tacharanite from the Gruppo di Voltri, Ligurian Alps, Italy, 383
 Luxullianite, Cornwall, occurrence in situ, anal., 295
 Luxulyan, Cornwall, luxullianite, 295
 MAALØE (S.), The origin of rhythmic layering, 337
 McARTHUR (J. M.), Element partitioning in ferruginous and pyritic phosphorite from the continental margin off Morocco, 221
 Mackinawite, nickelian, Saudi Arabia, anal., 284; nickelian and cuproan, W. Australia, anal., opt., 516
 Madagascar, cordierite, hydroxyapatite, dolomite, rutile, 481
 Magnetite of abnormal morphology, Greenland, India, Kenya, and Tanzania, anal., 463; stannian aluminian, from a tin slag, anal., 487
 Makerwali, Rajputana, India, tapiolite, 477
 Manganese, content of in alkali feldspars from Italy and their lava matrix, 63
 Manganhumite, Sweden, anal., opt., sp. gr., X-ray, 133
 Manganstilpnomelane, see Stilpnomelane, 361
 Marcano, Tyrol, Italy, celadonite, 373
 Marcasite, I.R. spectrum, 277 and M17; nickeloan, England, paragenesis, 149
 Marongwe crater, Tanzania, magnetite, 463
 Maršíkov, Moravia, Czechoslovakia, tapiolite, 477
 MARTINI (S.), Sasaite, a new phosphate mineral from West Driefontein Cave, Transvaal, 401
 Matukitiki River, New Zealand, stilpnomelane, 361 and M37
 Mauna Loa, Hawaii, tholeiite, 417
 Mautia Hill, Tanzania, talc, 107
 Megiliggar Rocks, Cornwall, amblygonite, topaz, 151
 Meldon, Okehampton, Devon, greenovite, 173; pricete, 175
 Melilite from a tin slag, anal., 487
 Menzenschwand, Baden, arsenian uranospaphite, arsenian uranospaphite, 117
 Merehead quarry, Shepton Mallet, Somerset, ardennite, 170; djurleite, 172
 MERRIMAN (R. J.), see YOUNG (B. R.), 35
 Metaperidotite, Connemara, anal., petr., 69
 Meteorites: Dhajala, descr., anal., 493
 MICHEL (U. McL.), see FORTEY (N. J.), 439
 Microcline, Greenland, 1; Nigeria, sector zoning, anal., 443; New Brunswick, cell-dimensions, 391
 Micro-drill, microscope-mounted, 499
 Mihalıççık, Turkey, metadolomite, augite, omphacite, 435
 Milarite, Cornwall, 174
 Mill Close mine, Darley Dale, Derbyshire, corundophilite, 171
 Minerals new to Britain, Fourth supplementary list of, 169
 MITSUDA (T.) and TAYLOR (H. F. W.), Normal and anomalous tobermorite, 229
 Mogok, Burma, painite, 518
 Molybdenite, I.R. spectrum, 227 and M17; Saudi Arabia, 284
 Monazite, Rockall, Inverness-shire, 35
 Monte Baldo, Verona, Italy, celadonite, 373
 MOORE (P. B.), Manganhumite, a new species, 133; Welshite, a new member of the aenigmatite group, 129; Kidwellite, a new species, 137; —, BARBOSA (C. do P.), and GAINES (R. V.), Bahianite, a new species, 179; — and ITO (J.), I. Whiteite, a new species, and a proposed nomenclature for the jahnsite-whiteite series. II. New data on xanthoxenite. III. Salmonsite discredited, 309
 MORRIS (D. F. C.), see AHMAD (S.), 143 and M4, and GHARIB (A.), 513

- Most, Bohemia*, celadonite, 373
 MOUNT (M.), see CLARK (A. M.), 279 and M26
Mount Perry, Queensland, rutile, 255
Mull, Isle of, Scotland, tholeiite, 1
Murrurundi, New South Wales, analcime, nontronite, 241
Mutki, Turkey, ophiolite, augite, diopside, 511 and M42
- Nant manganese mine, Llanfaerhys, Rhiw, Caernarvonshire*, neotocite, 279 and M26
Narsarsukite, titanian, Greenland, 31
NASHAR (B.), Sedimentary analcime at Murrurundi, New South Wales, 241
NASSAU (K.), see PRESCOTT (B. E.), 357
Natrolite, Cornwall, 509 and M49
NEIVA (A. M. R.), Barian chromium-bearing hydromuscovite from Mozambique, 292
NELEN (J.), anal. by, 314
Neotocite (neotokite), Cornwall, Caernarvonshire, Sweden, Germany, Italy, and Japan, anal., X-ray, DTA, I.R., 279 and M26
New Caledonia, lateritic Ni ore with traces of Au, Ir, Pd, and Pt, 143 and M4, 513
New mineral names, 30th List of, 521
New minerals: Arsenuranospathite, 117; Bahianite, 179; Emeleusite, 31; Kidwellite, 137; Manganhumite, 133; Sasaite, 401; Welshite, 129; Whiteite, 309
NEILSEN (T. F. D.) and *JOHNSON (O.)*, Titaniferous clinohumite from the Gardiner Plateau Complex, Greenland, 99
NEILSON (W. N.), anal. by, M1
Nishi-Sonogi peninsula, Nagasaki Prefecture, Japan, talc, 107
Noble metals (Au, Ir, Pd, Pt) in lateritic Ni ores, Guatemala, New Caledonia, and Indonesia, 143 and M4
Noche Buena, Zacatecas, Mexico, tobermorite, 229
Noda-Tamagama mine, Iwate Prefecture, Japan, neotocite ('penwithite'), 279 and M26
Nordite, zincian, Greenland, 31
North Pole deposit, Pilbara, W. Australia, baryte with H₂S-bearing inclusions, 408
- Ocean-floor samples*, celadonite, glauconite, 373
OKAY (A.), see CARPENTER (M. A.), 435
Olbicella River, Tiglio, Gruppo di Voltri, Liguria, Italy, tacharanite, 383
Olgiasca, Como, Italy, tapiolite, 477
Olivine, New Zealand, anal., M13; *Ireland*, 69
Omaru District, New Zealand, celadonite, 373
Omphacite, Turkey, topotactically replacing augite, anal., space-group, 435
Onganji mine, SW. Africa, cuprite, 505
Opsimose, Sweden = neotocite, 279 and M26
Optical constants, determination by ellipsometry, 505
Orense, Spain, tapiolite, 477
Orpiment, I.R. spectrum, 277 and M17
Orthoclase, Greenland, metastable preservation, 1; *SW. Africa*, barian, cell-size, intergrowth with celsian and solid solution limits, 294; *Rhum*, anal., 347; *New Brunswick*, cell dimensions, 391
Orthopyroxene, New Zealand, anal., M13
Osarizawaite, Cheshire, 175
OSTWALD (J.), Linnaeite series minerals from W. Australia, 93; A note on occurrences of nickeliferous and cupriferous mackinawite, 516
Otov, Czechoslovakia, xanthoxenite, jahnsite, 309
Oxney, Kent, glauconite, 373
Painite, Burma, I.R. spectrum, 518
Pajšberg, Sweden, stratepeite (= neotocite), 279 and M26
Palermo mine, North Groton, New Hampshire, xanthoxenite, 309
Palladium in lateritic Ni ores, Guatemala, Indonesia, and New Caledonia, 143 and M4
PANNHORST (W.) and *SCHNEIDER (H.)*, The high-temperature transformation of andalusite into 3/2-mullite and vitreous silica, 195
Paramirim das Crioulas, Agua Quente, Bahia, Brazil, bahianite, 179
Parawollastonite, see β -Calcium metasilicate, 325
Pargasite, Andhra Pradesh, India, anal., opt., cell-size, 280 and M31
PARKER (R. J.), Determination of analcime in pumice by X-ray diffraction, 103
PARSONS (I.), Feldspars and fluids in cooling plutons, 1
PATEL (C. C.), anal. by, M42
PATRICK (R. A.), Cd-rich tetrahedrites from Tyndrum, Perthshire, 286
Pectolite, New Zealand, anal., M15
PENCO (A. M.), see LUCCHETTI (G.), 383
Pennine, New Zealand, anal., M14
Pentlandite, Saudi Arabia, anal., 284
Penwithite, Cornwall, = neotocite, 279 and M26
Perthite, Greenland, variation in texture, 1
Peter Prezunka deposit, Yamasaka Mtn., Quebec, titanomagnetite, 265
PETERSEN (O. V.), see UPTON (B. G. J.), 31
PHILPOTTS (A. R.), Textural evidence for liquid immiscibility, 417
Phosphorites, continental shelf off Morocco, trace elements in, 221
PIERI (R. DE) and *QUARENIG (S.)*, Partition coefficients of alkali and alkaline-earth metals between alkali feldspar phenocrysts and their lava matrix, 63
Plagioclase, New Zealand, anal., M15; *Rhum*, anal., 347
Plagonite, I.R. spectrum, 277 and M17
Platinum in lateritic Ni ores from Guatemala, Indonesia, and New Caledonia, 143 and M4
PLIMER (I. R.) and *ASHLEY (P. M.)*, Manganese ilmenite from Broken Hill, N.S.W., and Ban Ban, Queensland, 85
Polydymite, W. Australia, anal., opt., 93
Pomalea-Kolska district, Sulawesi, Indonesia, lateritic Ni ore, 143 and M4, 513
Poplar Creek, British Columbia, stilpnomelane, 361 and M37
Port Isaac, Cornwall, heteromorphite (?), 174
Porthkerris Cove and Point, The Lizard, Cornwall, analcime and adularia pseudomorphous after analcime, 245, 509, and M49
Porthkerris Point, The Lizard, Cornwall, adularia, analcime, calcite, natrolite, prehnite, quartz, stilbite, 509 and M49
Porthoustock, The Lizard, Cornwall, analcime, natrolite, prehnite, 509 and M49

- Portnoo, Donegal*, almandine, biotite, zincian hercynite, cordierite, zincian staurolite, 237
Portree, Skye, tobermorite, 229
POVARENYYKH (A. S.), CLARK (A. M.), and JONES (G. C.), The infra-red spectrum of paineite, 518
Pra de la Stua, Italy, tobermorite, 229
Prehnite, New Zealand, 45; *Cornwall*, 509 and M49
PRESCOTT (B. E.) and NASSAU (K.), Black elbaite from *Corrego do Urucum*, Minas Gerais, Brazil, 357
Přibyslavice, Czechoslovakia, xanthoxenite, jahnsite, 309
Priceite, Cornwall, 175
Proustite, I.R. spectrum, 277 and M17
PRYCE (M. W.), see BRIDGE (P. J.), 369
Pseudowollastonite, growth from melt or glass, 325
Pumice, determination of analcime in, 103
Pumpellyite, Pembrokeshire, anal., opt., 81
Punia River, Zaire, tapiolite, 477
PUTNIS (A.) and **WILSON** (M. M.), Iron-bearing rutiles in the paragenesis $TiO_2-Al_2O_3-P_2O_5-SiO_2$, 255
Pyrargyrite, I.R. spectrum, 277 and M17
Pyrite, I.R. spectrum, 277 and M17
Pyrochlore, Rockall, Inverness-shire, 35
Pyroxene, see *Orthopyroxene, Clinopyroxene*
Pyrrhotite, I.R. spectrum, 277 and M17

Qagliarssuk, Greenland, magnetite, 463
Qila, Malakand Agency, Pakistan, aluminian chromite, 155
QUARENI (S.), see **PIERI** (R. DE), 63
Queenstown, Otago, New Zealand, stilpnomelane, 361 and M37

Ramsley mine, Okehampton, Devon, ilvaite, 173
Rangwa, Kenya, magnetite, carbonatite, 463
RANKIN (A. H.) and **SHEPHERD** (T. J.), H_2S -bearing fluid inclusions in baryte from the North Pole deposit, W. Australia, 408
RAO (A. T.), Pargasite from Andhra Pradesh, India, 280 and M31; Allanite from the Kondapalli charnockites, Andhra Pradesh, 280 and M31; Magnetic chromites from Kondapalli, Andhra Pradesh, 408 and M38
RASTALL (P.), see **ROBERTS** (E. F. I.), 505
Reading, Vermont, talc, 107
Realgar, I.R. spectrum, 277 and M17
Redruth, Cornwall, uranospothite, 117
Refractive indices, determination by ellipsometry, applied to cuprite, 505; and see *Crystal optics*
Reykjanes peninsula, Iceland, geothermal sea-water, 209
Rhenium, concentration in lateritic profiles, *Guatemala, Indonesia*, and *New Caledonia*, 513
Rhodonite, Broken Hill, New South Wales, partial anal., 85
Rhonegletscher, Switzerland, adularia, 453
Rhum, layered intrusion, 337, 347; olivine, diopside, plagioclase, chromite, 347
Rhythmic layering, origin of, 337
Riebeckite, Greenland, 35
Rio Grande do Norte, Brazil, tapiolite, 477
Ripidolite, New Zealand, anal., M14
ROBB (G. W.), anal. by, M2
ROBERTS (E. F. I.) and **RASTALL** (P.), The optical constants of natural and artificial cuprite by an ellipsometric method, 505

Rockall, Inverness-shire, bazirite, elpidite, α -cristobalite, leucophosphite, monazite, pyrochlore, eudialite, xenotime, 35
Rockford, Alabama, tapiolite, 477
RODGERS (K. A.) and **SAMESHIMA** (T.), Clinoptilolite pseudomorphs after calcitic and aragonitic Miocene fossils, Kaipara Harbour, New Zealand, 410; and see LEACH (T. M.), 45 and M12
Rodingite, New Zealand, petr. anal., 45 and M15
ROGERS (P. S.), see **WESTON** (R. M.), 325
Rosendal, Kimito, Finland, tapiolite, 477
Rosenhahnite, New Zealand, 45
Rotlaiischen mine, Waldgirmes, Germany, kidwellite, 137
Rusinga Island, Kenya, magnetite, carbonatite, 463
Rutile, Queensland, ferroan, anal., exsolution lamellae, 255; *Madagascar*, as inclusions in cordierite, 481

Sabugalite, synthetic, X-ray, 117
Sahlite, Turkey, anal., 511 and M42
St. George pluton, New Brunswick, orthoclase, microcline, granite, 391
St. Just, Land's End, Cornwall, garnet, axinite, apatite, hornblende, diopside, epidote, 509 and M49
Sakhakot, Malakand Agency, Pakistan, aluminian chromite, 155
Salite, see Sahlite
Salmonsite, California and Germany, is a mixture of hureaulite and jahnsite, 309
SAMESHIMA (T.), see **RODGERS** (K. A.), 410
Sample preparation for fluid inclusion studies, improved, 297
Sampleite, W. Australia, anal., opt., 369
Sanding, Kent, glauconite, 373
Sanmartinitite, San Martin, Argentina, anal., 281
Sasaite, Transvaal, anal., opt., X-ray, dehydration, 401
SAUNDERS (M. J.), anal. by, 32
Schistose grit, Isle of Arran, anal., metamorphism of, 141 and M1
SCHNEIDER (S.), Deformation of experimentally shocked biotite, 41; and see **PANNHORST** (W.), 195
SCHUWERK (N.), anal. by, 181
SCORDARI (F.), The crystal structure of hohmannite and its relation to amarantite, 144 and M9
Scotia ore deposit, W. Australia, mackinawite, 516
SEAGER (A. F.), Zonal dissolution in analcime and pseudomorphs of adularia after analcime from the Lizard, 245; Paragenesis of hydrothermal mineralization in amphibolites and granulites around Porthkerris Point, The Lizard, Cornwall, 509 and M49; and see **DEANS** (T.), 463
Seathwaite, Coniston, Lancashire, wittichenite, 177
Seikoshi mine, Japan, valencianite, 453
SEN GUPTA (N. R.), also **SEN GUPTA** (P. R.), see **DAS GUPTA** (S. P.), 493
Serpentine is one constituent of 'deweylite', 75
Serpentinite, Wairere, New Zealand, metasomatism of, 45
Serra das Almas, Bahia, Brazil, bahianite, 179
Serra do Menucué, Mozambique, chromian barian muscovite, 292
Seshadripuram Hill, Kondapalli, Andhra Pradesh, India, pargasite, 280 and M31
SHEPHERD (T. J.), see **RANKIN** (A. H.), 408; also see **BRUMBY** (G. R.), 297

- Shepherd's Gutter, Hampshire*, glauconite, 373
 Siderite (of Daubrée), see Meteorites (iron)
 Siderite (of Haidinger), manganooan, *Saudi Arabia*, anal., 284
 Siegenite, *W. Australia*, anal., opt., 93; *Missouri*, anal., 93
Sierra Gorda, Chile, hohmannite, 144 and M9
Skaergaard, layered intrusion, 337
 SKINNER (D. L.), anal.s by, M1, M2
Skogbölle, Kimito, Finland, tapiolite, 477
Skye, granite, 157
Smålands Taberg, Sweden, titanomagnetite, 265
Smallacombe iron mine, Ilkington, Devon, ilvaite, 173
 SOONG (R.) and FARMER (V. C.), The identification of sulphide minerals by infra-red spectroscopy, 277 and M17
Southbury, Connecticut, tholeiite, 417
South Terras mine, St. Stephen-in-Brannell, Cornwall, francevillite, 172
 Spencerite, *Yorkshire*, 176
 Sphalerite, I.R. spectrum, 277 and M17
 Sphene, *New Zealand*, anal., M15; and see Greenovite, 173
 SPOONER (E. T. C.), see HOLLAND (R. A. G.), 407
Stamps and Jowl Zawn, St. Just, Land's End, garnet, 427
 Stannite, I.R. spectrum, 277 and M17
 Staurolite, *New Zealand*, anal., 153; *Donegal*, zincian, anal., breakdown to hercynite, 237
Stewart mine, Pala, California, 'salmonsrite', a mixture of hureaulite and jahnsite, 309
 Stibnite, I.R. spectrum, 277 and M17
 Stilbite, *Cornwall*, 509 and M49
 Stilpnomelane, *New Zealand, California, Sweden, W. Australia, Canada*, anal., opt., sp. gr., cell-size, 361
 STONE (M.) and GEORGE (M. C.), Amblygonite in *Cornwall*, 151
 Stratopeite, *Sweden* = neotocite, 279 and M26
Strelley, Pilbara, W. Australia, tapiolite, 477
 STRENS (R. G. J.) and FREER (R.), The physical basis of mineral optics. I. Classical theory, 19
 STYLES (M. T.), see YOUNG (B. R.), 35
Sukkula, Tammela, Finland, tapiolite, 477
 SUNAGAWA (I.), see AKIZUKI (M.), 453
Svartsengi, Reykjanes peninsula, Iceland, geothermal sea-water, 209
Syke, Scotland, tobermorite, 229
Tacharanite, Italy, anal., cell-size, I.R., 383
 Talc, *Japan, Austria, Vermont, and Tanganyika*, unit cell, twinning, disorder, 107; *Grand Canyon, Arizona*, anal., M25; is a constituent of 'deweyleite', 75
Tantalite Gully, Darwen, W. Australia, tapiolite, 477
 Tapiolite, *Czechoslovakia, W. Australia, Finland, Spain, France, Brazil, Alabama, Morocco, Italy, Zaire, and India*, anal., cell-size, 477
 Tarankite, *W. Australia*, 369
 TAYLOR (H. F. W.), see MITSUDA (T.), 229
 Tetrahedrite, I.R. spectrum, 277 and M17; *Perthshire*, cadmian, anal., 286
 Thaumasite, *Wales*, 290
 Tholeiite, *Isle of Arran*, composite dyke, anal.s, petrogenesis, pyrometamorphism by, 141 and M1; *Connecticut, Hawaii, Scotland, Japan, and India*, evidence for liquid immiscibility in, 417
 THORPE (R. S.), The parental basaltic magma of granites from *Skye*, 157
Thorshavn, Strømø, Faeroes, celadonite, 373
 Tin slag, stannian garnet, pyroxene, and spinel (magnetite), and tin-free melilite in, 487
 Titanomagnetite, exsolved (a fine intergrowth of magnetite and ulvöspinel), *Sweden, Norway, and Canada*, anal., reflectance, 265
 Tlapallite, *Mexico and Arizona*, anal., opt., sp. gr., X-ray, 183
 Tobermorite, *Scotland, Ireland, Italy, Mexico, U.S.A., and Japan*, X-ray, anal., thermal behaviour, 229; *Italy*, anal., cell-size, 383
Tombstone, Arizona, tlapallite, 183
 Topaz, *Cornwall*, cell-size, 151
 Tourmaline, see Elbaite
Traboe, The Lizard, Cornwall, analcime, natrolite, prehnite, calcite, 509 and M49
 TREMBATH (L. T.), see CHERRY (M. E.), 391
Treseissylt, Pembrokeshire, pumpellyite, 81
 Triploidite, *Cornwall*, 176
Truckee River, Washoe Co., Nevada, celadonite, 373
Tsumebite, Cumberland, 176
Tučekite, W. Australia and S. Africa, anal., opt., X-ray, 278 and M21
 Tugtupite, *Greenland*, twinning, 251
 Tungsten, concentration in lateritic profiles, *Guatemala, Indonesia, and New Caledonia*, 513
Turf Pits mine, Grassington, Yorkshire, spencerite, 176
Turquoise Mt., Polk Co., Arkansas, kidwellite, 137
Tyndrum, Perthshire, cadmian tetrahedrite, cadmian freibergite, 286
Tyrol, Austria, talc, 107
- Ulvö, Sweden*, titanomagnetite, 265
Unanderra, New South Wales, ferrierite, heulandite, laumontite, 385
Upper Seaford River, central Fiordland, New Zealand, staurolite, 153
 UPTON (B. G. J.), HILL (P. G.), JOHNSEN (O.), and PETERSEN (O. V.), Emeleusite, a new LiNaFe^{III} silicate from south Greenland, 31
Uranosposphate, Cornwall and Baden, partial anal., opt., X-ray, dehydration, 117; arsenian, *Baden*, partial anal., opt., X-ray, dehydration, 117
Usu volcano, Hokkaido, Japan, tholeiite, 417
- Val de Fassa, Italy*, celadonite, 373
 Valencianite, *Japan*, opt., I.R., sector structure, growth features, 453
 VANIMAN (D.), Crystallization history of sector-zoned microcline megacrysts from the Godani Valley pluton, Nigeria, 443
 VERSCHURE (R. M.), A microscope-mounted drill to isolate microgram quantities of mineral material from thin and polished sections, 499
 VIGERS (R. B. W.), anal.s by, 370
 VINCENT (E. A.), anal. by, 468
 Violarite and cuprian violarite, *W. Australia*, anal., opt., 93

- VISWANATHAN (K.), Intergrowth of Ba-rich and Ba-poor phases in barium feldspars from SW. Africa, 294
Volcano Observatory, Kilauea, Hawaii, tholeiite, 417
Vulsini volcano, Italy, pumice, analcime, leucite, 103
- Wadi Qatan, Saudi Arabia*, nickelian mackinawite, alabandine, cubanite, molybdenite, pentlandite, 284
Wairere, New Zealand, serpentinite, roditinge, gabbro, pyroxene, hornblende, chlorite, garnet, pectolite, prehnite, xenotilite, rosenhahnite, 45 and M12
WALENTE (K.), Uranospathite and arsenuranospathite, 117
Warsak, Peshawar, Pakistan, hornblende schist, 405 and M33
Webster, N. Carolina, deweylite, 75
Weddellite, W. Australia, 369
Welshite, Långban, Sweden, anal., opt., cryst., sp. gr., X-ray, 129
West Driefontein Cave, Carltonville, Transvaal, sasaite, 401
WESTON (R. M.) and ROGERS (P. S.), The growth of calcium metasilicate polymorphs from supercooled melts and glasses, 325
Wheel Alfred, Phillack, Cornwall, agardite, 169
Wheel Cock Carn, St. Just, Land's End, garnet, axinitite, hornblende, 427
Wheel Mess, Lanivet, Cornwall, ilvaite, 173
Wheel Owles, St. Just-in-Penwith, Cornwall, djurleite, 172; triploidite, 176; penwithite (= neotocite), 279 and M26
Whiteite, Brazil and Canada, anal., opt., cryst., X-ray, nomenclature, 309
WILLIAMS (S. A.) and DUGGAN (M.), Tlapallite, a new mineral, from Moctezuma, Mexico, 183
WILSON (A. F.), Hydrous cordierite with isotopically light oxygen from Central Australia, 89
WILSON (M. J.), Occurrence of thaumasite in weathered furnace slag, Merthyr Tydfil, 290
WILSON (M. M.), see PUTNIS (A.), 255
Wittichen, Baden, arsenuranospathite, 117
Wittichenite, Lancashire, 177
Witwatersrand, S. Africa, tučekite, 278 and M21
Wollastonite, see β -calcium metasilicate, 325
Wulfenite, Somerset, 298
Wurtzite, I.R. spectrum, 277 and M17
- Xanthoxenite, *Palermo, New Hampshire*, neotype, opt., X-ray, 309; *Czechoslovakia*, anal., opt., X-ray, 309; *Germany* and *S. Dakota*, 309; — (of Laubmann and Steinmetz), *Germany*, = stewartite, 309
Xenotime, Rockall, Inverness-shire, 35
Xonotlite, New Zealand, 45
X-ray powder data: Aegirine, M61; Arsenuranospathite, 125; arsenian Uranospathite, 124; Bahianite, 180; Bazirite, 38; Deweylite (a mixture), 75; Emeleusite, 34; $\text{HAl}(\text{UO}_2)_4(\text{PO}_4)_4 \cdot 32 \text{ H}_2\text{O}$, 123; $\text{HAl}(\text{UO}_2)_4(\text{AsO}_4)_4 \cdot 32 \text{ H}_2\text{O}$, 126; $\text{HAl}(\text{UO}_2)_4(\text{AsO}_4)_4 \cdot 16-20 \text{ H}_2\text{O}$, 127; Jahnsite, 312; Kidwellite, 139; Manganhumite, 135; Neotocite, M29; Sabugalite, 122, 123; 'Salmonsite' (hureaulite + jahnsite), 320; Sasaite, 402 and 403; Tacharanite, 383; Tlapallite, 185; Tobermorite, 230; Tučekite, M22; Uranospathite, 120; Welshite, 131; Whiteite, 312; Xanthoxenite, 319
- Y Garn, Pembrokeshire*, pumpellyite, 81
YOUNG (B. R.), HAWKES (J. R.), MERRIMAN (R. J.), and STYLES (M. T.), Bazirite, $\text{BaZrSi}_3\text{O}_9$, a new mineral from Rockall Island, 35
- ZUSSMAN (J.), see AKIZUKI (M.), 107

BOOK REVIEWS

- ANTHONY (J. W.), WILLIAMS (S. A.), and BIDEAUX (R. A.), Mineralogy of Arizona (1977), 167
AUBERT (H.) and PINTA (M.), Trace Elements in Soils (1977), 306
AUGUSTITHIS (S. S.), Atlas of the Textural Patterns of Basalts and their Genetic Significance (1978), 414
BAILEY (D. K.) and MACDONALD (R.), ed., The Evolution of the Crystalline Rocks (1976), 162
BARDET (M. G.), Géologie du diamant, Vol. III. Gisements de diamants d'Asie, d'Amérique, d'Europe et d'Australasia (1977), 565
BEUS (A. A.) and GRIGORIAN (S. V.), transl., ed. LEVINSON (A. A.), Geochemical Exploration Methods for Mineral Deposits (1977), 303
BOSSON (R.) and VARON (B.), The Mining Industry and the Developing Countries (1977), 413
BOWEN (R.) and GUNATILAKA (A.), Copper: its Geology and Economics (1977), 302
COLEMAN (R. G.), Ophiolites: Ancient Oceanic Lithosphere? (1977), 308
DENT GLASSER (L. S.), Crystallography and its applications (1977), 165
FLEISCHER (R. L.), PRICE (P. B.), and WALKER (R. M.), Nuclear Tracks in Solids: Principles and Applications (1975), 306
FRASER (D. G.), ed., Thermodynamics in Geology (1977), 415
GREENWOOD (H.), ed., Short Course in Application of Thermodynamics to Petrology and Ore Deposits (1977), 164
GREG (R. P.) and LETTSOM (W. G.), Manual of the Mineralogy of Great Britain and Ireland. Reprint with supplement by EMBREY (P. G.) (1977), 414
GUARASCIO (M.), DAVID (M.), and HUIJBREGTS (C.), Advanced Geostatistics in the Mining Industry (1976), 302
HILL (C. A.), Cave Minerals (1976), 167
HORNE (J. E. T.) and DUNHAM (Sir Kingsley), Mineralogy: towards the twenty-first century (1977), 161
HURLBUT (C. S., jr.) and KLEIN (C.), Manual of Mineralogy (after James D. Dana), 19th edn. (1977), 306
KERR (P. F.), Optical Mineralogy (1977), 166
KING (E. A.), Space geology: an introduction (1976), 165
LEBAS (M. J.), Carbonatite-nepheline Volcanism (1977), 307
MCCALL (G. J. H.), ed., The Archean: Search for the Beginning, 416
MITCHELL-THOMÉ (R. C.), Geology of the Middle Atlantic Islands (1976), 164
MUELLER (R.) and SAXENA (S. K.), Chemical Petrology (1977), 413
ORLOV (Yu. L.), The Mineralogy of the Diamond (1977), 565

ALPHABETICAL INDEX

- PEREL'MAN (A. I.), transl. TETRUK-SCHNEIDER (R.), Geochemistry of elements in the supergene zone (1977), 565
PICOT (P.) and JOHAN (Z.), Atlas des Minéraux métalliques (1977), 566
SCHNEER (C. J.), ed., Crystal Form and Structure (1977), 165
SMIRNOV (V. I.), ed., Ore Deposits of the USSR (1977), 301
SUMMERS (W. K.) and SITTLER (C.), Isotopes of water—a bibliography (1976), 168
- WOLF (K. H.), ed., Handbook of Strata-bound and Stratiform Ore Deposits (Vol. 1, Classification and Historical Studies. Vol. 2, Geochemical Studies. Vol. 3, Regional Studies) (1978), 304
WOOLLEY (A.), ed., The Illustrated Encyclopedia of the Mineral Kingdom (1978), 416
YODER (H. S., jr.), Generation of Basaltic Magma (1976), 163