

# THE CANADIAN MINERALOGIST

Journal of the  
Mineralogical Association  
of Canada



R.F. Martin, Editor

Volume 39, 2001

## PART 1

Silica biomineralization of unicellular microbes under strongly acidic conditions	R. ASADA & K. TAZAKI	1
Morphological and chemical characterization of neutrally buoyant plume-derived particles at the Eastern Manus Basin hydrothermal field, Papua New Guinea	A. ORTEGA-OSORIO & S.D. SCOTT	17
The Kovdor phlogopite deposit, Kola Peninsula, Russia	N.I. KRASNOVA	33
Internal zonation and chemical evolution of the Black Mountain granitic pegmatite, Maine	C.D. BROWN & M.A. WISE	45
Micro-analytical study of the optical properties of rainbow and sheen obsidians	CHI MA, J. GRESH, G.R. ROSSMAN, G.C. ULMER & E.P. VICENZI	57
Structural state of K-feldspar in the felsic volcanic rocks and ring pluton granites of the Butler Hill caldera, St. Francois Mountains, southeastern Missouri	T.G. PLYMATE, J.D. KENDALL, L.M. SHEPARD & K.C. CLARK	73
The role of cooling rate on the Al–Si order of K-feldspar in the Hercynian Tábuá granite, central Portugal	L.J.P.F. NEVES, A.J.S.C. PEREIRA & M.M. GODINHO	85
Exsolution and breakdown of scandian and tungstenian Nb–Ta–Ti–Fe–Mn phases in niobian rutile	P. ČERNÝ & R. CHAPMAN	93
Bismutotantalite from northwestern Argentina: description and crystal structure	M.A. GALLISKI, M.F. MÁRQUEZ-ZAVALÍA, M.A. COOPER, P. ČERNÝ & F.C. HAWTHORNE	103
New data on szaibelyite from the type locality, Băița Bihor, Romania	Ș. MARINCEA	111
Sr <sub>2</sub> B <sub>5</sub> O <sub>9</sub> OH•H <sub>2</sub> O, a synthetic borate related to hilgardite	J. BARBIER & HYUNSOO PARK	129
The crystal structure of olshanskyite	A. CALLEGARI, F. MAZZI & C. TADINI	137
The compressional behavior of <i>P4/n</i> vesuvianite	M. TRIBAUDINO & M. PRENCIPE	145
Refinement of the crystal structure of swedenborgite	D.M.C. HUMINICKI & F.C. HAWTHORNE	153
The crystal chemistry of malinkoite, NaBSiO <sub>4</sub> , and lisitsynite, KBSi <sub>2</sub> O <sub>6</sub> , from the Khibina–Lovozero complex, Kola Peninsula, Russia	E.V. SOKOLOVA, F.C. HAWTHORNE & A.P. KHOMEYAKOV	159
Ferrian winchite from the Ilmen Mountains, southern Urals, Russia, and some problems with the current scheme for amphibole nomenclature	E.V. SOKOLOVA, F.C. HAWTHORNE, V. GORBATOVA, C. MCCAMMON & J. SCHNEIDER	171
The crystal structure of mitryaevaite, Al <sub>5</sub> (PO <sub>4</sub> ) <sub>2</sub> [(P,S)O <sub>3</sub> (OH,O)] <sub>2</sub> F <sub>2</sub> (OH) <sub>2</sub> (H <sub>2</sub> O) <sub>8</sub> •6.48H <sub>2</sub> O, determined from a microcrystal using synchrotron radiation	C.L. CAHILL, S.V. KRIVOVICHEV, P.C. BURNS, G.K. BEKENOVA & T.A. SHABANOVA	179
A re-evaluation of the structure of weeksite, a uranyl silicate framework mineral	J.M. JACKSON & P.C. BURNS	187
Crystal chemistry of uranyl molybdates. III. New structural themes in Na <sub>6</sub> [(UO <sub>2</sub> ) <sub>2</sub> O(MoO <sub>4</sub> ) <sub>4</sub> ], Na <sub>6</sub> [(UO <sub>2</sub> )(MoO <sub>4</sub> ) <sub>4</sub> ] and K <sub>6</sub> [(UO <sub>2</sub> ) <sub>2</sub> O(MoO <sub>4</sub> ) <sub>4</sub> ]	S.V. KRIVOVICHEV & P.C. BURNS	197

Crystal chemistry of uranyl molybdates. IV. The structures of $M_2[(UO_2)_6(MoO_4)_7(H_2O)_2]$ ( $M = Cs, NH_4$ )	S.V. KRIVOVICHEV & P.C. BURNS	207
<b>BOOK REVIEWS</b>		
Proceedings of the forty-fifth annual meeting of the Mineralogical Association of Canada	G.M. LeCheminant	219
The Hawley Medal for 2000 to Encarnación Puga, María Dolores Ruiz Cruz and Antonio Díaz de Federico		221
The Past Presidents' Medal for 2000 to Gregory M. Anderson		223
The Young Scientist Award for 2000 to Gregory M. Dipple		225

---

PART 2

---

**PHASE EQUILIBRIA IN BASALTIC SYSTEMS  
A TRIBUTE TO PETER L. ROEDER**

Preface	H.E. JAMIESON & D. CANIL	235
Olivine–liquid relations of lava erupted by Kīlauea Volcano from 1994 to 1998: implications for shallow magmatic processes associated with the ongoing East-Rift-Zone eruption	C.R. THORNER	239
Augite–olivine equilibria in the Kiglapait intrusion, Labrador, Canada	S.A. MORSE	267
Estimates of crustal assimilation in Quaternary lavas from the northern Cordillera, British Columbia	J.K. RUSSELL & S. HAUKSDÓTTIR	275
The system diopside – forsterite – enstatite at 5.1 GPa: a ternary model for melting of the mantle	YI-HUA WENG & D.C. PRESNALL	299
The distribution of Cr between basaltic melt and chromian spinel as an oxygen geobarometer	A.A. POUSTOVETOV & P.L. ROEDER	309
Olivine–liquid partitioning of vanadium and other trace elements, with applications to modern and ancient picrites	D. CANIL & Y. FEDORTCHOUK	319
The valence and speciation of sulfur in glasses by X-ray absorption spectroscopy	E. PARIS, G. GIULI, M.R. CARROLL & I. DAVOLI	331
High-temperature stability of laurite and Ru–Os–Ir alloy and their role in PGE fractionation in mafic magmas	J.M. BRENNAN & D. ANDREWS	341
Origins of chromian and aluminous spinel macrocrysts from kimberlites in southern Africa	D.J. SCHULZE	361
Platinum-group mineral assemblages and chromite composition in the altered and deformed Bacuri complex, Amapa, northeastern Brazil	H.M. PRICHARD, J.H.S. SÁ & P.C. FISHER	377
Growth forms and composition of chromian spinel in MORB magma: diffusion-controlled crystallization of chromian spinel	P.L. ROEDER, A. POUSTOVETOV & N. OSKARSSON	397

## ORE-FORMING PROCESSES IN DYNAMIC MAGMATIC SYSTEMS

Preface	S.-J. BARNES & J.H. CROCKET	419
Multicomponent elemental and isotopic mixing in Ni–Cu–(PGE) ores at Kambalda, Western Australia	C.M. LESHER & O.M. BURNHAM	421
The composition and mode of formation of the Pechenga nickel deposits, Kola Peninsula, northwestern Russia	S.-J. BARNES, V.A. MELEZHIK & S.V. SOKOLOV	447
Re–Os isotopic study of komatiitic volcanism and magmatic sulfide formation in the southern Abitibi greenstone belt, Ontario, Canada	Y. LAHAYE, S.-J. BARNES, L.R. FRICK & D.D. LAMBERT	473
Physical modeling of the formation of komatiite-hosted nickel deposits and a review of the thermal erosion paradigm	A. RICE & J. MOORE	491
Field characteristics and erosional processes associated with komatiitic lavas: implications for flow behavior	R.A.F. CAS & S.W. BERESFORD	505
Komatiitic invasive lava flows, Kambalda, Western Australia	S.W. BERESFORD & R.A.F. CAS	525
Fluid transport of sulfur and metals between sulfide melt and basaltic melt	D.R. BAKER, S.-J. BARNES, G. SIMON & F. BERNIER	537
Why are there no major Ni–Cu sulfide deposits in large layered mafic-ultramafic intrusions?	W.D. MAIER, CHUSI LI & S.A. DE WAAL	547
Parental magma and emplacement of the stratiform Uitkomst Complex, South Africa	S.A. DE WAAL, W.D. MAIER, R.A. ARMSTRONG & C.D.K. GAUERT	557
The Ban Phuc Ni–Cu–PGE deposit related to the Phanerozoic komatiite–basalt association in the Song Da rift, northwestern Vietnam	A.I. GLOTOV, G.V. POLYAKOV, TRANG TRONG HOA, P.A. BALYKIN, V.A. AKIMTSEV, A.P. KRIVENKO, N.D. TOLSTYKH, NGO THI PHUONG, HOANG HUU THANH, TRAN QUOC HUNG & T.E. PETROVA	573
New occurrences of anduoite, (Ru,Os)As <sub>2</sub> , from chromite deposits of Ukraine and Albania	S.S. GORNOSTAYEV, M. OHNENSTETTER, A. NEZIRAJ, D. OHNENSTETTER, K.V.O. LAAJOKI, S.E. POPOVCHENKO & P.K. KORNIENKO	591
The structure of the Lakkulaisvaara intrusion, Oulanka Group, northern Karelia: petrological implications	V.A. GLEBOVITSKY, V.S. SEMENOV, B.V. BELYATSKY, E.V. KOPTEV-DVORNIKOV, N.F. PCHELINTSEVA, B.S. KIRIEEV & A.B. KOLTSOV	607
Pd–Ag tellurides from a Cl-rich environment in the Lakkulaisvaara layered intrusion, northern Russian Karelia	A.Y. BARKOV, R.F. MARTIN, M. TARKIAN, G. POIRIER & Y. THIBAUT	639
Origin of variations in nickel tenor along the strike of the Edwards Lode nickel sulfide orebody, Kambalda, Western Australia	C. HEATH, Y. LAHAYE, W.E. STONE & D.D. LAMBERT	655
Trace-element geochemistry and petrogenesis of barren and ore-associated komatiites	C.M. LESHER, O.M. BURNHAM, R.R. KEAYS, S.J. BARNES & L. HULBERT	673

---

PART 3

---

The design and evaluation of nuclear-waste forms: clues from mineralogy	R.C. EWING	697
Authigenic monazite and xenotime from pelitic metacherts in pumpellyite–actinolite-facies conditions, Sestri–Votaggio zone, central Liguria, Italy	R. CABELLA, G. LUCCHETTI & P. MARESCOTTI	717
Spodumene – petalite – eucryptite: mutual relationships and pattern of alteration in Li-rich aplite–pegmatite dykes from northern Portugal	B. CHAROY, F. NORONHA & A. LIMA	729
Londonite, a new mineral species: the Cs-dominant analogue of rhodizite from the Antandrokomby granitic pegmatite, Madagascar	W.B. SIMMONS, F. PEZZOTTA, A.U. FALSTER & K.L. WEBBER	747
Redefinition of a mineral in the joaquinite group: orthojoaquinite-(La)	S. MATSUBARA, J.A. MANDARINO & E.I. SEMENOV	757
Bigcreekite: a new barium silicate mineral species from Fresno County, California	L.C. BASCIANO, L.A. GROAT, A.C. ROBERTS, R.A. GAULT, G.E. DUNNING & R.E. WALSTROM	761
The structure of fedorite: a re-appraisal	R.H. MITCHELL & P.C. BURNS	769
Clearcreekite, a new polymorph of $\text{Hg}^{1+}_3(\text{CO}_3)(\text{OH})\cdot 2\text{H}_2\text{O}$ , from the Clear Creek Claim, San Benito County, California	A.C. ROBERTS, L.A. GROAT, M. RAUDSEPP, T.S. ERCIT, R.C. ERD, E.A. MOFFATT & J.A.R. STIRLING	779
Trivalent iodine in the crystal structure of schwartzembergite, $\text{Pb}^{2+}_5 \text{I}^{3+} \text{O}_6 \text{H}_2 \text{Cl}_3$	M.D. WELCH, F.C. HAWTHORNE, M.A. COOPER & T.K. KYSER	785
Structure topology and hydrogen bonding in marthozite, $\text{Cu}^{2+}[(\text{UO}_2)_3(\text{SeO}_3)_2\text{O}_2](\text{H}_2\text{O})_8$ , a comparison with guilleminite, $\text{Ba}[(\text{UO}_2)_3(\text{SeO}_3)_2\text{O}_2](\text{H}_2\text{O})_3$	M.A. COOPER & F.C. HAWTHORNE	797
Alacranite, $\text{As}_4\text{S}_4$ : a new occurrence, new formula, and determination of the crystal structure	P.C. BURNS & J.B. PERCIVAL	809
Compositional variation in mercurian tetrahedrite–tennantite from the epithermal deposits of the Steens and Pueblo Mountains, Harney County, Oregon	F.F. FOIT, JR. & M.E. ULBRICHT	819
Compositional trends in Fe, Co and Ni sulfarsenides and their crystal-chemical implications: results from the Arroyo de la Cueva deposits, Ronda peridotite, southern Spain	S.R. HEM, E. MAKOVICKY & F. GERVILLA	831
Mineralogy of sulfosalt-rich vein-type ores, Boliden massive sulfide deposit, Skellefte district, northern Sweden	T. WAGNER & E. JONSSON	855
Primary phases and natural weathering of old lead–zinc pyrometallurgical slag from Pířbram, Czech Republic	V. ETTLER, O. LEGENDRE, F. BODÉANAN & J.-C. TOURAY	873
Phase relations in the system Au–Cu–Ag at low temperatures based on natural assemblages	J. KNIGHT & C. LEITCH	889
The composition of gold in the Cerro Casale gold-rich porphyry deposit, Maricunga Belt, northern Chile	C. PALACIOS, G. HÉRAIL, B. TOWNLEY, V. MAKSAEV, F. SEPÚLVEDA, P. DE PARSEVAL, P. RIVAS, A. LAHSEN & M.A. PARADA	907
New minerals approved in 2000 by the Commission on New Minerals and Mineral Names, International Mineralogical Association	J.D. GRICE & G. FERRARIS	917
BOOK REVIEWS		925

---

PART 4

---

Ore-mineral textures and the tales they tell	J.R. CRAIG	937
Geochemistry and mineralogy of gold-rich hydrothermal precipitates from the eastern Manus Basin, Papua New Guinea	R. MOSS & S.D. SCOTT	957
PGE and Ag mineralization in a breccia zone of the Precambrian Nuasahi ultramafic-mafic complex, Orissa, India	S.K. MONDAL, T.K. BAIDYA, K.N. GURURAJA RAO & M.D. GLASCOCK	979
Cretaceous mafic dyke swarm, Peary Land, northernmost Greenland: geochronology and petrology	D.J. KONTAK, S.M. JENSEN, J. DOSTAL, D.A. ARCHIBALD & T.K. KYSER	997
Relationships of coticule geochemistry to stratigraphy in the Perry Mountain and Megunticook formations, New England Appalachians	J.A. THOMSON	1021
Celsian, (Ba,K)-feldspar and cymrite from sedex barite deposits of Zamora, Spain	M.C. MORO, M.L. CEMBRANOS & A. FERNANDEZ	1039
Kampfite, a new barium silicate carbonate mineral species from Fresno County, California	L.C. BASCIANO, L.A. GROAT, A.C. ROBERTS, J.D. GRICE, G.E. DUNNING, E.E. FOORD, I.M. KJARSGAARD & R.E. WALSTROM	1053
Fencooperite, $Ba_6Fe^{3+}_3Si_8O_{23}(CO_3)_2Cl_3 \cdot H_2O$ , a new mineral species from Trumbull Peak, Mariposa County, California	A.C. ROBERTS, J.D. GRICE, G.E. DUNNING & K.E. VENANCE	1059
The crystal structure of fencooperite: unique $[Fe^{3+}_3O_{13}]$ pinwheels cross-connected by $[Si_8O_{22}]$ islands	J.D. GRICE	1065
Fe speciation in weathered pyrochlore-group minerals from the Lueshe and Araxá (Barreiro) carbonatites by $^{57}Fe$ Mössbauer spectroscopy	M. NASRAOUI & J.C. WAERENBORGH	1073
Collinsite in hydrothermal assemblages related to carbonatites in the Kovdor complex, northwestern Russia	R.P. LIFEROVICH, YA.A. PAKHOMOVSKY, A.N. BOGDANOVA, E.G. BALAGANSKAYA, K.V.O. LAAJOKI, S. GEHÖR & N.V. CHUKANOV	1081
Polyakovite-(Ce), $(REE,Ca)_4(Mg,Fe^{2+})(Cr^{3+},Fe^{3+})_2(Ti,Nb)_2Si_4O_{22}$ , a new metamict mineral species from the Ilmen Mountains, southern Urals, Russia: description and crystal chemistry	V.A. POPOV, L.A. PAUTOV, E. SOKOLOVA, F.C. HAWTHORNE, C. McCAMMON & L.F. BAZHENOVA	1095
Characterization of gadolinite-group minerals using crystallographic data only: the case of hinganite-(Y) from Cuasso al Monte, Italy	F. DEMARTIN, A. MINAGLIA & C.M. GRAMACCIOLI	1105
Bradaczekite, $NaCu_4(AsO_4)_3$ , a new mineral species from the Tolbachik volcano, Kamchatka Peninsula, Russia	S.K. FILATOV, L.P. VERGASOVA, M.G. GORSKAYA, S.V. KRIVOVICHEV, P.C. BURNS & V.V. ANANIEV	1115
The crystal structure of gladiusite, $(Fe^{2+},Mg)_4Fe^{3+}_2(PO_4)(OH)_{11}(H_2O)$	E. SOKOLOVA, F.C. HAWTHORNE, C. McCAMMON & R.P. LIFEROVICH	1121
Neutron spectroscopic study of synthetic alunite and oxonium-substituted alunite	G.A. LAGER, G.A. SWAYZE, CHUN-KEONG LOONG F.J. ROTELLA, J.W. RICHARDSON, JR. & R.E. STOFFREGEN	1131
A new uranyl sulfate chain in the structure of uranopilite	P.C. BURNS	1139
The crystal structure of synthetic grimselite, $K_3Na[(UO_2)(CO_3)_3](H_2O)$	YAPING LI & P.C. BURNS	1147
A new uranyl silicate sheet in the structure of haiweeite and comparison to other uranyl silicates	P.C. BURNS	1153
Li-bearing arfvedsonitic amphiboles from the Strange Lake peralkaline granite, Quebec	F.C. HAWTHORNE, R. OBERTI, E. CANNILLO, L. OTTOLINI, J.N. ROELOFSEN & R.F. MARTIN	1161
Crystal structure and crystal chemistry of lithium-bearing muscovite- $2M_1$	M.F. BRIGATTI, D.E. KILE & M. POPPI	1171
Peraluminous plutonism: nature and origin of the Moly May leucogranite and its Coast Plutonic Complex granitic host-rocks, northwestern British Columbia	A.M. ABDEL-RAHMAN	1181
BOOK REVIEW		1197
Encyclopedia of Mineral Names: second update	R.F. MARTIN & W.H. BLACKBURN	1199

---

PART 5

---

A bond-valence approach to the structure, chemistry and paragenesis of hydroxy-hydrated oxysalt minerals. I. Theory	M. SCHINDLER & F.C. HAWTHORNE	1225
A bond-valence approach to the structure, chemistry and paragenesis of hydroxy-hydrated oxysalt minerals. II. Crystal structure and chemical composition of borate minerals	M. SCHINDLER & F.C. HAWTHORNE	1243
A bond-valence approach to the structure, chemistry and paragenesis of hydroxy-hydrated oxysalt minerals. III. Paragenesis of borate minerals	M. SCHINDLER & F.C. HAWTHORNE	1257
The crystal chemistry of the $[M_3\Phi_{11-14}]$ trimeric structures: from hyperagpaitic complexes to saline lakes	E. SOKOLOVA & F.C. HAWTHORNE	1275
Natrolemoynite, a new hydrated sodium zirconosilicate from Mont Saint-Hilaire, Quebec: description and structure determination	A.M. McDONALD & G.Y. CHAO	1295
The crystal structure of delindeite, $Ba_2\{(Na,K,\square)_3(Ti,Fe)[Ti_2(O,OH)_4Si_4O_{14}](H_2O,OH)_2\}$ , a member of the mero-pleisiotype bafertisite series	G. FERRARIS, G. IVALDI, D.YU. PUSHCHAROVSKY, N.V. ZUBKOVA & I.V. PEKOV	1306
The crystal structure of baričite, $(Mg_{1.70}Fe_{1.30})(PO_4)_2 \cdot 8H_2O$ , the magnesium-dominant member of the vivianite group	O.V. YAKUBOVICH, W. MASSA, R.P. LIFEROVICH & C.A. McCAMMON	1317
Orthominasragrite, $V^{4+}O(SO_4)(H_2O)_5$ , a new mineral species from Temple Mountain, Emery County, Utah, U.S.A.	F.C. HAWTHORNE, M. SCHINDLER, J.D. GRICE & P. HAYNES	1325
Crystal chemistry of trioctahedral micas-1M from the Alto Paranaíba igneous province, southeastern Brazil	M.F. BRIGATTI, L. MEDICI, L. POPPI & C. VACCARO	1333
The characterization and quantitative analysis of clay minerals in the Athabasca Basin, Saskatchewan: application of shortwave infrared reflectance spectroscopy	GUANGYU ZHANG, K. WASYLIUK & YUANMING PAN	1347
The crystal structure of neyite, $Ag_2Cu_6Pb_{25}Bi_{26}S_{68}$	E. MAKOVICKY, T. BALIĆ-ŽUNIĆ & D. TOPA	1365
The crystal structure of paarite, the newly discovered 56 Å derivative of the bismuthinite–aikinite solid-solution series	E. MAKOVICKY, D. TOPA & T. BALIĆ-ŽUNIĆ	1377
Rare sulfosalts from Vulcano, Aeolian Islands, Italy. IV. Lillianite	YU.S. BORODAEV, A. GARAVELLI, C. GARBARINO, S.M. GRILLO, N.N. MOZGOVA, T.YU. USPENSKAYA & F. VURRO	1383
The occurrence of Pb–Cl–(OH) and Pt–Sn–S compounds in the Merensky Reef, Bushveld layered complex, South Africa	A.Y. BARKOV, R.F. MARTIN, R.J. KAUKONEN & T.T. ALAPIETI	1397
The melilite-bearing high-temperature skarns of the Apuseni Mountains, Carpathians, Romania	M.-L. PASCAL, M. FONTEILLES, J. VERKAEREN, R. PIRET & Ș. MARINCEA	1405
Superposed parageneses in the spurrite-, tilleyite- and gehlenite-bearing skarns from Cornet Hill, Apuseni Mountains, Romania	Ș. MARINCEA, E. BILAL, J. VERKAEREN, M.-L. PASCAL & M. FONTEILLES	1435
Oxygen and carbon isotopic composition of Grenville marble, and an appraisal of equilibrium in the distribution of isotopes between calcite and associated minerals, Otter Lake area, Quebec, Canada	R. KRETZ	1455
New Minerals	J.A. MANDARINO	1473
BOOK REVIEWS		1503
Referees for 2000		1507

---

PART 6

---

The occurrence and origin of zabuyelite (Li <sub>2</sub> CO <sub>3</sub> ) in spodumene-hosted fluid inclusions: implications for the internal evolution of rare-element granitic pegmatites	A.J. ANDERSON, A.H. CLARK & S. GRAY	1513
Boron depletion controlled by the breakdown of tourmaline in the migmatite zone of the Aoyama area, Ryoke metamorphic belt, southwestern Japan	T. KAWAKAMI	1529
Metamorphic evolution of spessartine quartzites (cotiules) in the high-pressure, low-temperature complex at Bahia Mansa, Coastal Cordillera of south-central Chile	A.P. WILLNER, S. PAWLIG, H.-J. MASSONE & F. HERVÉ	1547
The phyllosilicates in diagenetic-metamorphic rocks of the South Portuguese Zone, southwestern Portugal	I. ABAD, M.P. MATA, F. NIETO & N. VELILLA	1571
The adsorption of [Au(HS) <sub>2</sub> ] <sup>-</sup> on kaolinite surfaces: quantum chemistry calculations	HONG HANLIE, FU ZHENGYI & MIN XINMIN	1591
Mineralogy and geochemistry of suspended sediments from groundwaters associated with undisturbed Zn–Pb massive sulfide sediments, Bathurst mining camp, New Brunswick, Canada	M.I. LEYBOURNE	1597
Quantitative phase-analysis by the Rietveld method using X-ray powder-diffraction data: application to the study of alteration halos associated with volcanic-rock-hosted massive sulfide deposits	T. MONECKE, S. KÖHLER, R. KLEEGERG, P.M. HERZIG & J.B. GEMMELL	1617
The Gibbs free energy of nukundamite (Cu <sub>3.38</sub> Fe <sub>0.62</sub> S <sub>4</sub> ): a correction and implications for phase equilibria	R.R. SEAL, II, E.E. INAN & B.S. HEMINGWAY	1635
Felbertalite and related bismuth sulfosalts from the Funiushan copper skarn deposit, Nanjing, China	GU XIANG-PING, M. WATANABE, M. OHKAWA, K. HOSHINO, Y. SHIBATA & CHEN DESONG	1641
The crystal structure of (001) twinned xilingolite, Pb <sub>3</sub> Bi <sub>2</sub> S <sub>6</sub> , from Mittal–Hohtenn, Valais, Switzerland	P. BERLEPSCH, T. ARMBRUSTER, E. MAKOVICKY, C. HEJNY, D. TOPA & S. GRAESER	1653
A structural model of the layer titanosilicate bornemanite based on seidozerite and lomonosovite modules	G. FERRARIS, E. BELLUSO, A. GULA, S.V. SOBOLEVA, O.A. AGEIEVA & B.E. BORUTSKII	1665
Rinmanite, Zn <sub>2</sub> Sb <sub>2</sub> Mg <sub>2</sub> Fe <sub>4</sub> O <sub>14</sub> (OH) <sub>2</sub> , a new mineral species with a nolanite-type structure from the Garpenberg Norra mine, Dalarna, Sweden	D. HOLTSTAM, K. GATEDAL, K. SÖDERBERG & R. NORRESTAM	1675
Oswaldpeetersite, (UO <sub>2</sub> ) <sub>2</sub> CO <sub>3</sub> (OH) <sub>2</sub> •4H <sub>2</sub> O, a new basic uranyl carbonate mineral from the Jomac uranium mine, San Juan County, Utah, U.S.A.	R. VOCHTEN, M. DELIENS & O. MEDENBACH	1685
Dickthomssenite, Mg(V <sub>2</sub> O <sub>6</sub> )•7H <sub>2</sub> O, a new mineral species from the Firefly–Pigmy mine, Utah: descriptive mineralogy and arrangement of atoms	J.M. HUGHES, F.E. CURETON, J. MARTY, R.A. GAULT, M.E. GUNTER, C.F. CAMPANA, J. RAKOVAN, A. SOMMER & M.E. BRUESEKE	1691
A new method to determine the optical orientation of biaxial minerals: a mathematical approach	M.E. GUNTER & B. TWAMLEY	1701
Microstructural investigation of new polytypes of parisite-(Ce) by high-resolution transmission electron microscopy	DAWEI MENG, XIULING WU, TAO MOU & DOUXING LI	1713
Al–Mg disorder in a gem-quality pargasite from Baffin Island, Nunavut, Canada	K.T. TAIT, F.C. HAWTHORNE & G. DELLA VENTURA	1725

Characteristics of nitrogen and other impurities in diamond, as revealed by infrared absorption data	F.V. KAMINSKY & G.K. KHACHATRYAN	1733
High-temperature stability of laurite and Ru–Os–Ir alloy and their role in PGE fractionation in mafic magmas: erratum	J.M. BRENNAN & D. ANDREWS	1747
BOOK REVIEWS		1749
New Minerals	J.A. MANDARINO	1751
Index, Volume 39	J.D. SCOTT	1761