\odot 2001-2005 Mineral Data Publishing, version 1

Crystal Data: Triclinic. *Point Group:* $\overline{1}$. Thin acicular crystals, to 2 mm, in aggregates. *Twinning:* Observed on an undetermined law.

Physical Properties: Cleavage: Perfect on {100}; two additionally observed optically. Tenacity: Very brittle. Hardness = 1-2 D(meas.) = 2.27(4) D(calc.) = 2.250 Soluble in H₂O.

Optical Properties: Semitransparent. *Color:* Bright blue. *Streak:* Pale blue. *Luster:* Vitreous.

Optical Class: Biaxial (+). Pleochroism: X = colorless; Y = very pale blue; Z = intense dark blue. Dispersion: r < v, moderate. Absorption: Z > Y > X. $\alpha = 1.400(4)$ $\beta = 1.499(2)$ $\gamma = 1.667(2)$ 2V(meas.) = 83(5)°

Cell Data: Space Group: $P\overline{1}$. a = 7.559(3) b = 9.665(4) c = 3.589(1) $\alpha = 76.65(2)^{\circ}$ $\beta = 103.67(2)^{\circ}$ $\gamma = 109.10(2)^{\circ}$ Z = 1

X-ray Powder Pattern: Wheatley mine, Pennsylvania, USA. 6.539 (10), 3.169 (9), 7.04 (100), 3.655 (5), 2.799 (4), 2.538 (3), 2.497 (3)

Chemistry:

	(1)	(2)
C_2O_3		44.79
CuO	27.	24.73
Na_2O	20.	19.27
$H_2\bar{O}$		11.21
Total		100.00

(1) Wheatley mine, Pennsylvania, USA; partial analysis by electron microprobe, presence of C, H, and O confirmed by ion microprobe, $(C_2O_4)^{2-}$ confirmed by qualitative testing. (2) Na₂Cu(C₂O₄)₂•2H₂O.

Occurrence: Very rare, on a specimen found on the mine dumps of a Pb–Zn vein deposit.

Association: Sphalerite, galena, cerussite, quartz.

Distribution: From the Wheatley mine, near Phoenixville, Chester Co., Pennsylvania, USA.

Name: For the type locality, the Wheatley mine, Pennsylvania, USA.

Type Material: Canadian Museum of Nature, Ottawa, Canada, 80196; National Museum of Natural History, Washington, D.C., USA, 162531.

References: (1) Rouse, R.C., D.R. Peacor, P.J. Dunn, W.B. Simmons, and D. Newbury (1986) Wheatleyite, Na₂Cu(C₂O₄)₂•2H₂O, a natural sodium copper salt of oxalic acid. Amer. Mineral., 71, 1240–1242. (2) Chananont, P., P.E. Nixon, J.M. Waters, and T.N. Waters (1980) The structure of disodium *catena*-bis(μ -oxalato)-cuprate (II) dihydrate. Acta Cryst., 36, 2145–2147. (3) Gleizes, A., F. Maury, and J. Galy (1980) Crystal structure and magnetism of sodium bis(oxalato)cuprate(II) dihydrate, Na₂Cu(C₂O₄)₂•2H₂O. Inorganic Chemistry, 19, 2074–2078.